

111-01266

Article Number: 111-01266

Solar Tie, 11.9" Long, 56lb Tensile Strength, PA11W, Black, 100/pkg



Base Data

Local Order Number 111-01266

Type GL300

Color Black (BK)

Features and Benefits

- Nylon 11 cable ties provide excellent resistance to UV, chemical and moisture sensitive environments.
- Inside serrations and smooth edges allow for a strong hold on cables and wire bundles without damaging them.
- Head design provides high tensile strength with very low insertion force.

Product Description HellermannTyton solar cable ties are made of specially formulated materials providing various levels of UV, chemical and moisture resistance, making it ideal for outdoor use. The cable ties feature inside serrations providing a positive hold onto wire and cable bundles and smooth edges to prevent bundle damage. The head design guarantees high tensile strength, as well as a low insertion force. Tensioning tools are available to ensure consistent and safe installation.

Fixation Method (FF) None

Identification Plate Position none

Releasable Closure (Yes/No) No

Variant Inside Serrated

Short Description Solar Tie, 11.9" Long, 56lb Tensile Strength, PA11W, Black, 100/pkg

Product Dimensions

Minimum Tensile Strength (imperial) 56 lbs

Minimum Tensile Strength (N) 250 N

Length L (imperial) 11.9 "

Length L (metric) 301.0 mm

Width W (imperial) 0.19 "

Width W (metric) 4.8 mm

Bundle Diameter min (imperial) 0.06 "

Bundle Diameter min (metric) 1.5 mm

Bundle Diameter max (imperial) 3.2 "

Bundle Diameter max (metric) 80.0 mm

Cable Tie Head Height (Metric) 5.0 mm

Cable Tie Head Length (metric) 9.0 mm

Cable Tie Head Width (metric) 8.8 mm

Thickness T (Metric) 1.5 mm

Logistics and Packaging

Quantity per bag

Package Quantity 100

Carton Quantity 5000

Material and Specifications

Material Polyamide 11, UV-resistant (PA11W)

Material Shortcut PA11W

Operating Temperature -40 °F to +221 °F (-40 °C to +105 °C)

ROHS Conformity Yes