

157-00118



Article Number: 157-00118

Offset Fir Tree, 12.5 mm, M6, 8" Tie, 50lb Tensile Strength,PA66HIRHS, Gray, 500/bag



Base Data

Local Order Number	157-00118
Type	T50ROSFTM6SO12.5A
Color	Gray (GY)
Features and Benefits	<ul style="list-style-type: none"><li>• One-piece cable tie and fixing offers a simple and easy to use method of bundling and fixing cables, through the design of the fir tree by ensuring positive and secure fixing into panels with thicknesses from 0.8mm to 7.0mm or threaded blind holes.</li><li>• The offset on the cable tie creates an alternate solution when an offset fixing option is required and a tape clip cannot be used due to the design which reduces the potential of the bundle flexing or shifting.</li><li>• The 'disc' on the top of the fir tree covers the hole and minimizes the ingress of water and dirt.</li></ul>
Product Description	HellermannTyton's offset fir tree cable tie family creates an offset routing solution for our customers who are moving away from using tape. The offset branch creates a strong offset that reduces flexing and shifting of the bundle.
Fixation Method (FF)	Fir Tree
Identification Plate Position	none
Releasable Closure (Yes/No)	No
Tie Closure	plastic pawl
Short Description	Offset Fir Tree, 12.5 mm, M6, 8" Tie, 50lb Tensile Strength,PA66HIRHS, Gray, 500/bag

Product Dimensions

Minimum Tensile Strength (imperial)	50.0 lbs
Minimum Tensile Strength (N)	222.0 N
Length L (imperial)	8.4 "
Length L (metric)	215.5 mm
Bundle Diameter min (imperial)	0.06 "
Bundle Diameter min (metric)	1.6 mm
Bundle Diameter max (imperial)	1.96 "
Bundle Diameter max (metric)	50.0 mm
Panel Thickness max. (imperial)	0.2 "
Panel Thickness max. (metric)	5.5 mm
Panel Thickness min. (imperial)	0.02 "
Panel Thickness min. (metric)	0.6 mm
Mounting Hole Diameter D (imperial)	M6 Threaded "
Mounting Hole Diameter D (metric)	M6

Logistics and Packaging

Quantity per	bag
Package Quantity	500

Material and Specifications

---

Material	Polyamide 6.6 high impact modified, heat stabilized, UV resistant (PA66HIRHS)
Material Shortcut	PA66HIRHS
ROHS Conformity	Yes