HellermannTyton

FCLC

Article Number: 855-14200

LC Multimode Fiber Connector, Beige, 1/pkg



Base Data	
Local Order Number	FCLC
Туре	FCLC
Color	Beige (BGE)
Features and Benefits	 Use with epoxy or anaerobic adhesives for different applications or user preference. Pre-radiused zirconia ceramic ferrules provide precision installation. Meet ANSI/TIA/EIA 568-B standards. Meet ANSI/TIA/EIA 604 (FOCIS) connector interface requirements.
Connector Type	LC
Product Description	Our epoxy/anaerobic connectors are designed for field or factory installation, using either epoxy or anaerobic adhesives. These connectors are made with pre-radiused zirconia ceramic ferrules to provide precision alignment and installation.
	Epoxy adhesives provide affordable and reliable connections with lowest losses (less than 0.5dB). The epoxy can be allowed to set overnight or cured in an inexpensive oven. Anaerobic adhesives can be used with accelerators for faster curing
Technical Description	HellermannTyton offers both LC multimode and single mode connectors. Designed for both field and factory installation using either epoxy or anaerobic adhesive. All connectors comply with the IEC874-14 standard ensuring compatibility with all other manufactured adaptors.
Short Description	LC Multimode Fiber Connector, Beige, 1/pkg
Product Dimensions	
Logistics and Packaging	
Quantity per	bag
Package Quantity (imperial)	10
Package Quantity	1

Material and Specifications

© HellermannTyton 2014