

SNP12AGHS0C2



Article Number: 190-00254

Snapper Hose Clamps, .615"/.721" Min/Max Diameter, PA66GF13%, Black, 100/pkg

 RoHS

Base Data

Local Order Number	SNP12AGHS0C2
Type	SNP12A
Color	Black (BK)
Features and Benefits	<ul style="list-style-type: none"><li>• Designed for quick, ratcheted installation and can be released and reused.</li><li>• Heat stabilized material is suitable for high temperature applications.</li></ul>
Product Description	HellermannTyton snapper hose clamps are designed to provide a quick, ratcheted closure reducing installation time. The design also allows the clamp to be easily removed and re-applied when necessary. Snappers are made of high performing materials providing stability in a variety of diverse environments. Available in 32 standard sizes.
Fixation Method (FF)	Plug-in mounting
Variant	Closed
Short Description	Snapper Hose Clamps, .615"/.721" Min/Max Diameter, PA66GF13%, Black, 100/pkg

Product Dimensions

Width W min (imperial)	0.825 "
Width W min (metric)	20.96 mm
Width W Max (imperial)	1.177 "
Width W max (metric)	29.9 mm
Width W2 (imperial)	0.233 "
Width W2 (metric)	5.92 mm
Bundle Diameter min (imperial)	0.63 "
Bundle Diameter min (metric)	15.9 mm
Bundle Diameter max (imperial)	0.716 "
Bundle Diameter max (metric)	18.2 mm
Diameter min. (imperial)	0.615 "
Diameter min. (metric)	15.62 mm
Diameter max. (imperial)	0.721 "
Diameter max. (metric)	18.31 mm
Nominal Diameter (imperial)	0.67 "
Nominal Diameter (metric)	17 mm
Wall Thickness WT (imperial)	.070 "
Wall Thickness WT (metric)	1.8 mm

Logistics and Packaging

Quantity per	bag
Package Quantity	100

**Carton Quantity** 4000  
**Weight (Metric)** 0.25 kg

## Material and Specifications

---

**Material** Polyamide 6.6 glass filled impact modified heat stabilized (PA66GF13%)  
**Material Shortcut** PA66GF13  
**Flammability** UL94 HB  
**Operating Temperature** -40 °F to +221 °F (-40 °C to +105 °C)  
**ROHS Conformity** Yes