

SNP16GHS0C2



Article Number: 192-10160

Snapper Hose Clamps, .752"/.854" Min/Max Diameter, PA66GF13%, Black, 100/pkg

 RoHS

Base Data

Local Order Number	SNP16GHS0C2
Type	SNP16
Color	Black (BK)
Features and Benefits	<ul style="list-style-type: none"><li>• Designed for quick, ratcheted installation and can be released and reused.</li><li>• Heat stabilized material is suitable for high temperature applications.</li></ul>
Product Description	HellermannTyton snapper hose clamps are designed to provide a quick, ratcheted closure reducing installation time. The design also allows the clamp to be easily removed and re-applied when necessary. Snappers are made of high performing materials providing stability in a variety of diverse environments. Available in 32 standard sizes.
Fixation Method (FF)	Plug-in mounting
Variant	Closed
Short Description	Snapper Hose Clamps, .752"/.854" Min/Max Diameter, PA66GF13%, Black, 100/pkg

Product Dimensions

Width W min (imperial)	0.783 "
Width W min (metric)	19.89 mm
Width W Max (imperial)	1.213 "
Width W max (metric)	30.81 mm
Width W2 (imperial)	0.228 "
Width W2 (metric)	5.79 mm
Bundle Diameter min (imperial)	0.75 "
Bundle Diameter min (metric)	19.1 mm
Bundle Diameter max (imperial)	0.85 "
Bundle Diameter max (metric)	21.7 mm
Diameter min. (imperial)	0.752 "
Diameter min. (metric)	19.1 mm
Diameter max. (imperial)	0.854 "
Diameter max. (metric)	21.69 mm
Nominal Diameter (imperial)	0.79 "
Nominal Diameter (metric)	20 mm
Wall Thickness WT (imperial)	0.068 "
Wall Thickness WT (metric)	1.5 mm

Logistics and Packaging

Quantity per	bag
Package Quantity	100

**Carton Quantity** 100 Pieces

**Weight (Metric)** 0.28 kg

## Material and Specifications

---

**Material** Polyamide 6.6 glass filled impact modified heat stabilized (PA66GF13%)

**Material Shortcut** PA66GF13

**Flammability** UL94 HB

**Operating Temperature** -40 °F to +221 °F (-40 °C to +105 °C)

**ROHS Conformity** Yes