# HellermannTyton

## SNP1GHS0C2



Article Number: 192-10010

Snapper Hose Clamps, .237"/.263" Min/Max Diameter, PA66GF13% Black, 100/pkg

RoHS

#### Base Data

Local Order Number	SNP1GHS0C2
Туре	SNP1
Color	Black (BK)
Features and Benefits	<ul> <li>Designed for quick, ratcheted installation and can be released and reused.</li> <li>Heat stabilized material is suitable for high temperature applications.</li> </ul>
Product Description	HellermannTyton snapper hose clamps are designed to provide a quick, ratcheted closure reducing installation time. The design also allows the clamp to be easily removed and re-applied when necessary. Snappers are made of high performing materials providing stability in a variety of diverse environments. Available in 32 standard sizes.
Fixation Method (FF)	Plug-in mounting
Variant	Closed
Short Description	Snapper Hose Clamps, .237"/.263" Min/Max Diameter, PA66GF13%, Black, 100/pkg

#### **Product Dimensions**

Width W min (imperial)	0.337 "
Width W min (metric)	8.56 mm
Width W Max (imperial)	0.464 "
Width W max (metric)	11.79 mm
Width W2 (imperial)	0.149 "
Width W2 (metric)	3.78 mm
Bundle Diameter min (imperial)	0.3 "
Bundle Diameter min (metric)	6.0 mm
Bundle Diameter max (imperial)	0.27 "
Bundle Diameter max (metric)	6.8 mm
Diameter min. (imperial)	0.237 "
Diameter min. (metric)	6.02 mm
Diameter max. (imperial)	0.263 "
Diameter max. (metric)	6.68 mm
Nominal Diameter (imperial)	0.24 "
Nominal Diameter (metric)	6 mm
Wall Thickness WT (imperial)	0.04 "
Wall Thickness WT (metric)	1.0 mm

### Logistics and Packaging

Quantity per bag
Package Quantity 100

Carton Quantity 100 Pieces

Weight (Metric) 0.12 kg

## Material and Specifications

Material	Polyamide 6.6 glass filled impact modified heat stabilized (PA66GF13%)
Material Shortcut	PA66GF13
Flammability	UL94 HB
Operating Temperature	-40 °F to +221 °F (-40 °C to +105 °C)
<b>ROHS</b> Conformity	Yes

© HellermannTyton 2014