

## SNP34GHS0K2



**Article Number:** 190-00149

**Snapper Hose Clamps, 1.488"/1.593" Min/Max Diameter, PA66GF13%, Black, 50/pkg**



### Base Data

**Local Order Number** SNP34GHS0K2

**Type** SNP34

**Color** Black (BK)

**Features and Benefits**

- Designed for quick, ratcheted installation and can be released and reused.
- Heat stabilized material is suitable for high temperature applications.

**Product Description** HellermannTyton snapper hose clamps are designed to provide a quick, ratcheted closure reducing installation time. The design also allows the clamp to be easily removed and re-applied when necessary. Snappers are made of high performing materials providing stability in a variety of diverse environments. Available in 32 standard sizes.

**Fixation Method (FF)** Plug-in mounting

**Variant** Closed

**Short Description** Snapper Hose Clamps, 1.488"/1.593" Min/Max Diameter, PA66GF13%, Black, 50/pkg

### Product Dimensions

**Width W min (imperial)** 1.204 "

**Width W min (metric)** 30.58 mm

**Width W Max (imperial)** 1.996 "

**Width W max (metric)** 50.7 mm

**Width W2 (imperial)** 0.292 "

**Width W2 (metric)** 7.42 mm

**Bundle Diameter min (imperial)** 1.38 "

**Bundle Diameter min (metric)** 35.0 mm

**Bundle Diameter max (imperial)** 1.6 "

**Bundle Diameter max (metric)** 40.5 mm

**Diameter min. (imperial)** 1.365 "

**Diameter min. (metric)** 34.67 mm

**Diameter max. (imperial)** 1.593 "

**Diameter max. (metric)** 40.46 mm

**Wall Thickness WT (imperial)** 0.069 "

**Wall Thickness WT (metric)** 1.7 mm

### Logistics and Packaging

**Quantity per** bag

**Package Quantity** 50

**Carton Quantity** 1000

## Material and Specifications

---

|                              |  |
|------------------------------|--|
| <b>Material</b>              | Polyamide 6.6 glass filled impact modified heat stabilized (PA66GF13%) |
| <b>Material Shortcut</b>     | PA66GF13   |
| <b>Flammability</b>          | UL94 HB  |
| <b>Operating Temperature</b> | -40 °F to +221 °F (-40 °C to +105 °C)                                  |
| <b>ROHS Conformity</b>       | Yes  |