

## SNP76GHS0X2



**Article Number:** 190-00214

**Snapper Hose Clamps, 2.898"/3.255" Min/Max Diameter, PA66GF13%, Black, 25/pkg**



### Base Data

**Local Order Number** SNP76GHS0X2

**Type** SNP76

**Color** Black (BK)

**Features and Benefits**

- Designed for quick, ratcheted installation and can be released and reused.
- Heat stabilized material is suitable for high temperature applications.

**Product Description** HellermannTyton snapper hose clamps are designed to provide a quick, ratcheted closure reducing installation time. The design also allows the clamp to be easily removed and re-applied when necessary. Snappers are made of high performing materials providing stability in a variety of diverse environments. Available in 32 standard sizes.

**Fixation Method (FF)** Plug-in mounting

**Variant** Closed

**Short Description** Snapper Hose Clamps, 2.898"/3.255" Min/Max Diameter, PA66GF13%, Black, 25/pkg

### Product Dimensions

**Width W min (imperial)** 1.736 "

**Width W min (metric)** 44.09 mm

**Width W Max (imperial)** 2.902 "

**Width W max (metric)** 73.71 mm

**Width W2 (imperial)** 0.39 "

**Width W2 (metric)** 9.91 mm

**Bundle Diameter min (imperial)** 2.9 "

**Bundle Diameter min (metric)** 74.0 mm

**Bundle Diameter max (imperial)** 3.3 "

**Bundle Diameter max (metric)** 83 mm

**Diameter min. (imperial)** 2.898 "

**Diameter min. (metric)** 73.61 mm

**Diameter max. (imperial)** 3.255 "

**Diameter max. (metric)** 82.68 mm

**Wall Thickness WT (imperial)** 0.67 "

**Wall Thickness WT (metric)** 1.7 mm

### Logistics and Packaging

**Quantity per** bag

**Package Quantity** 25

**Carton Quantity** 500

## Material and Specifications

---

<b>Material</b>	Polyamide 6.6 glass filled impact modified heat stabilized (PA66GF13%)
<b>Material Shortcut</b>	PA66GF13
<b>Flammability</b>	UL94 HB
<b>Operating Temperature</b>	-40 °F to +221 °F (-40 °C to +105 °C)
<b>ROHS Conformity</b>	Yes